UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.	
10/787,227	02/27/2004	Bach H. Le	049051-0221	4842	
	7590 04/12/201 YWILL & EMERY LL	-	EXAMINER		
18191 VON KA		BELANI, KISHIN G			
SUITE 500 IRVINE, CA 92612-7108			ART UNIT	PAPER NUMBER	
			2443		
			MAIL DATE	DELIVERY MODE	
			04/12/2010	PAPER	

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

		Application No.	Applicant(s)				
Office Action Summary		10/787,227	LE ET AL.				
		Examiner	Art Unit				
		KISHIN G. BELANI	2443				
Period fo	The MAILING DATE of this communication app or Reply	ears on the cover sheet with the c	orrespondence ad	ldress			
A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.  - Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.  - If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.  - Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).							
Status							
1)[\	Responsive to communication(s) filed on <u>12 Ja</u>	nuary 2010					
,	· · · · · · · · · · · · · · · · · · ·	<del></del>					
′=	· <del></del>						
٥/١	Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213.						
	closed in accordance with the practice under z	x parte Quayle, 1900 C.D. 11, 40	. O. O. 213.				
Dispositi	on of Claims						
4)🛛	Claim(s) <u>66-68 and 70-87</u> is/are pending in the application.						
	4a) Of the above claim(s) is/are withdrawn from consideration.						
5)	5) Claim(s) is/are allowed.						
· · _ ·	6)⊠ Claim(s) <u>66-68 and 70-87</u> is/are rejected.						
7)	Claim(s) is/are objected to.						
8)	· · <u> </u>						
Applicati	on Papers						
9) The specification is objected to by the Examiner.							
ا ال	10) The drawing(s) filed on is/are: a) accepted or b) objected to by the Examiner.						
	Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).						
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).							
11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.							
Priority ι	ınder 35 U.S.C. § 119						
<ul> <li>12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).</li> <li>a) All b) Some * c) None of:</li> <li>1. Certified copies of the priority documents have been received.</li> <li>2. Certified copies of the priority documents have been received in Application No.</li> <li>3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).</li> <li>* See the attached detailed Office action for a list of the certified copies not received.</li> </ul>							
2)  Notic 3) Inforr	t(s) e of References Cited (PTO-892) e of Draftsperson's Patent Drawing Review (PTO-948) nation Disclosure Statement(s) (PTO/SB/08) r No(s)/Mail Date	4)  Interview Summary Paper No(s)/Mail Da 5)  Notice of Informal P 6)  Other:	te				

#### **DETAILED ACTION**

This action is in response to Applicant's amendment filed on 01/12/2010. **None**of the claims has been amended. Claims 66-68 and 70-87 are now pending in the

present application. The applicants' arguments and the examiner's response to the

arguments are shown in the section "Response to Arguments" at the end of this office

action. This Action is made FINAL.

# Claim Rejections - 35 USC § 112

The following is a quotation of the second paragraph of 35 U.S.C. 112:

The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.

Claim 87 is rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention. Claim 87 recites "detection of the user without manual input from the user", then continues with the text "performed by software configured to use artificial intelligence to examine input or writing style of another user". It is not clear how such conflicting claim features will be implemented (without user input followed by input or writing style of user). Also, the reason for the use of "another user" in the claim text is unclear. Is the first user not required to provide any input, such as handwriting sample or writing style?

On page 7 of the "Remarks" section, the applicants have argued that "the claimed device is configured to detect the departure of a first user without

Art Unit: 2443

manual input from the first user, and is further configured to use artificial intelligence to examine input or writing style of a second user (i.e. the "another user") to identify that the first user has departed, and as a result lock the communication session". The examiner disagrees with this explanation. If the first user provides no input (as claimed), with what the single input or writing style of another user be compared to make a determination that the input or writing style is not that of the first user and belongs to another user? The two users cannot be distinguished with only one input or writing style. As a result, the examiner maintains the 35 USC Second Paragraph rejection for claim 87.

## Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

The factual inquiries set forth in *Graham* v. *John Deere Co.*, 383 U.S. 1, 148 USPQ 459 (1966), that are applied for establishing a background for determining obviousness under 35 U.S.C. 103(a) are summarized as follows:

- 1. Determining the scope and contents of the prior art.
- 2. Ascertaining the differences between the prior art and the claims at issue.
- 3. Resolving the level of ordinary skill in the pertinent art.
- Considering objective evidence present in the application indicating obviousness or nonobviousness.

This application currently names joint inventors. In considering patentability of the claims under 35 U.S.C. 103(a), the examiner presumes that the subject matter of the various claims was commonly owned at the time any inventions covered therein were made absent any evidence to the contrary. Applicant is advised of the obligation under 37 CFR 1.56 to point out the inventor and invention dates of each claim that was not commonly owned at the time a later invention was made in order for the examiner to consider the applicability of 35 U.S.C. 103(c) and potential 35 U.S.C. 102(e), (f) or (g) prior art under 35 U.S.C. 103(a).

Claims 66, 70, 80, 82, 84 and 85 are rejected under 35 U.S.C. 103(a) as being unpatentable over Walker et al. (U.S. Patent Publication # 6,244,957 B1) in view of Shaffer et al. (U.S. Patent Publication # 6,145,083).

Consider **claim 66**, Walker et al. show and disclose a computing device for communicating with a remotely located computing device (Fig. 1 that shows a slot machine 2 (a computing device) that communicates via slot network 3 with a slot network server 4 (a remotely located computing device); column 3, line 60 through column 4, line 18 describe the system shown in Fig. 1; Fig. 2 and column 4, lines 19-29 describe the details of the slot machine 2; Fig. 3 and column 5, lines 21-28 disclose the details of the slot network server 4), the computing device comprising: a computer-readable medium or media encoded with instructions (claims 44-45) to allow the computing device to perform the following tasks:

transmitting, from the computing device to the remotely located computing device, a lock session signal for locking a secure communications session upon an occurrence of a predetermined event, the lock session signal configured to restrict access to the communications session until the computing device receives an unlock session signal from the remotely located computing device (Fig. 8A, steps 510-550 wherein in step 510 a remote player inserts the player tracking card 312 into the card reader 310 (see Fig. 2); the player identity information is transmitted by the slot machine to the slot server 4, which authenticates the information and creates a secure session with the player; furthermore, in step 550, the remote player is prompted to enter the player parameter selections; column 8, lines 10-33 disclose that the player parameter selections include both play options and limiting criteria of play, wherein the limiting criteria include: (slot machine) lock start time, lock end time, etc., the lock start time corresponding to a lock session signal for locking a secure communications session upon an occurrence of a predetermined event (lock start time), the lock session signal configured to restrict access to the communications session until the computing device receives an unlock session signal from the remotely located computing device; column 9, lines 1-6 disclose the same details, further disclosing that the locking data is a signal that prevents the slot machine 2 from providing access to other players unless automated play is terminated by the player who initiated it); prompting a user at the computing device for identification information associated with the secure communications session (Fig. 9, steps 710-720 that show requiring the

player to return to the slot machine 2 and provide identification information associated

with the secure communications session; column 12, lines 14-17 describe the same details);

transmitting, from the computing device to the remotely located computing device, the identification information (Fig. 9, step 730 and column 12, lines 17-20 disclose the same details); and

receiving, at the computing device from the remotely located computing device, the unlock session signal if the identification information is authenticated (Fig. 9, steps 740 and 760-770; column 12, lines 21-39 describe the same details).

However, Walker et al. do not specifically disclose that the predetermined event comprises a detection of a departure of the user without manual input from the user.

In the same field of endeavor, Shaffer et al. disclose the claimed remotely located computing device, wherein the predetermined event comprises a detection of a departure of the user without manual input from the user (Fig. 2; column 5, lines 13-32 which describe a security module 58 connected between the user input device and the screen saver 56, that includes a timing mechanism that monitors manipulation of the user input devices 44 to detect periods of inactivity; further disclosing that the screen saver capability is configurable with respect to selecting a particular time period, such that the screen saver 56 switches the computing device 12 to a locked mode when the computing device is idle for a period exceeding the pre-selected period; i.e. if there is no activity by any user input devices for a configurable period, the screen saver triggers a locked mode).

Therefore, it would have been obvious to a person of ordinary skill in the art at the time the invention was made to provide means to detect the departure of a user as a predetermined event without any manual input from the user, as taught by Shaffer et al., in the computing device of Walker et al., so as to provide a secure remote session for users.

Consider claim 70, and as it applies to claim 66 above, Walker et al., as modified by Shaffer et al., further show and disclose the claimed computing device, including wherein the predetermined event further comprises a lapse in a predetermined amount of time (in Walker et al. reference, column 8, lines 22-33 which describe limiting criteria of play as any information that may define the beginning or end of an automated play session; further disclosing that lock start time is the elapse time, from the beginning of the session, used to lock the remote automated play session for a player who initiated the session, so that no other player may be allowed to use the same slot machine; and in Shaffer et al. reference, Fig. 2; column 5, lines 13-32 that disclose the same details).

Consider claim 80, and as it applies to claim 66 above, Walker et al., as modified by Shaffer et al., further disclose the claimed computing device, wherein the identification information is not a shared screen saver password (in Walker et al. reference, Figs. 2 and 9; column 12, lines 14-20 which disclose a player tracking card 312 that provides the player identification information for authentication by the slot

network server 4, thereby disclosing that the identification information is not a shared screen saver password).

Consider claim 82, and as it applies to claim 66 above, Walker et al., as modified by Shaffer et al., further disclose the claimed computing device, wherein the transmitting the lock session signal for the secure communications session comprises transmitting the lock session signal to lock the communications session at the remotely located computing device (in Walker et al. reference, Fig. 1 that shows a slot machine 2 (a computing device) that communicates via slot network 3 with a slot network server 4 (a remotely located computing device); column 3, line 60 through column 4, line 18 describe the system shown in Fig. 1; Fig. 2 and column 4, lines 19-29 describe the details of the slot machine 2; Fig. 3 and column 5, lines 21-28 disclose the details of the slot network server 4; column 8, lines 10-33 disclose that the player parameter selections include both play options and limiting criteria of play, wherein the limiting criteria include: (slot machine) lock start time, lock end time, etc., the lock start time corresponding to a lock session signal for locking a secure communications session upon an occurrence of a predetermined event (lock start time), the lock session signal configured to restrict access to the communications session until the computing device receives an unlock session signal from the remotely located computing device; column 9, lines 1-6 disclose the same details, further disclosing that the locking data is a signal that prevents the slot machine 2 from providing access to other players unless automated play is terminated by the player who initiated it).

medium or media encoded with instructions for facilitating management of a secure communications session (claims 44-45; Fig. 1 that shows a slot machine 2 (a computing device) that communicates via slot network 3 with a slot network server 4 (a remotely located computing device); column 3, line 60 through column 4, line 18 describe the system shown in Fig. 1; Fig. 2 and column 4, lines 19-29 describe the details of the slot machine 2; Fig. 3 and column 5, lines 21-28 disclose the details of the slot network server 4), the instructions comprising code for: transmitting, from the computing device to the remotely located computing device, a lock session signal for locking a communications session upon an occurrence of a predetermined event, the lock session signal configured to restrict access to the communications session until the computing device receives an unlock session signal from the remotely located computing device (Fig. 8A, steps 510-550 wherein in step 510 a remote player inserts the player tracking card 312 into the card reader 310 (see Fig. 2); the player identity information is transmitted by the slot machine to the slot server 4. which authenticates the information and creates a secure session with the player; furthermore, in step 550, the remote player is prompted to enter the player parameter selections; column 8, lines 10-33 disclose that the player parameter selections include both play options and limiting criteria of play, wherein the limiting criteria include: (slot machine) lock start time, lock end time, etc., the lock start time corresponding to a lock session signal for locking a secure communications session upon an occurrence of a

Consider claim 84, Walker et al. show and disclose a computer-readable

predetermined event (lock start time), the lock session signal configured to restrict access to the communications session until the computing device receives an unlock session signal from the remotely located computing device; column 9, lines 1-6 disclose the same details, further disclosing that the locking data is a signal that prevents the slot machine 2 from providing access to other players unless automated play is terminated by the player who initiated it);

prompting a user at the computing device for identification information associated with the communications session (Fig. 9, steps 710-720 that show requiring the player to return to the slot machine 2 and provide identification information associated with the secure communications session; column 12, lines 14-17 describe the same details); transmitting, from the computing device to the remotely located computing device, the identification information (Fig. 9, step 730 and column 12, lines 17-20 disclose the same details); and

receiving, at the computing device from the remotely located computing device, the unlock session signal if the identification information is authenticated (Fig. 9, steps 740 and 760-770; column 12, lines 21-39 describe the same details).

However, Walker et al. do not specifically disclose that the predetermined event comprises a detection of a departure of the user without manual input from the user.

In the same field of endeavor, Shaffer et al. disclose the claimed computerreadable medium, wherein the predetermined event comprises a detection of a departure of the user without manual input from the user (security system claim 11; Fig. 2; column 5, lines 13-32 which describe a security module 58 connected between the

user input device and the screen saver 56, that includes a timing mechanism that monitors manipulation of the user input devices 44 to detect periods of inactivity; further disclosing that the screen saver capability is configurable with respect to selecting a particular time period, such that the screen saver 56 switches the computing device 12 to a locked mode when the computing device is idle for a period exceeding the preselected period; i.e. if there is no activity by any user input devices for a configurable period, the screen saver triggers a locked mode).

Therefore, it would have been obvious to a person of ordinary skill in the art at the time the invention was made to provide a computer-readable medium with executable instructions to detect the departure of a user as a predetermined event without any manual input from the user, as taught by Shaffer et al., in the computer-readable medium of Walker et al., so as to provide a secure remote session for users.

Consider **claim 85**, Walker et al. show and disclose a method for facilitating management of a secure communications session from a remote computing device (Fig. 1 that shows a method for facilitating management of a secure communications session from a remote computing device, wherein a slot machine 2 (a computing device) communicates via slot network 3 with a slot network server 4 (a remotely located computing device); column 3, line 60 through column 4, line 18 describe the method of communication shown in Fig. 1; Fig. 2 and column 4, lines 19-29 describe the details of the slot machine 2; Fig. 3 and column 5, lines 21-28 disclose the details of the slot network server 4), comprising the steps of:

Art Unit: 2443

transmitting, from the computing device to the remotely located computing device, a lock session signal for locking a secure communications session upon an occurrence of a predetermined event, the lock session signal configured to restrict access to the communications session until the computing device receives an unlock session signal from the remotely located computing device (Fig. 8A, steps 510-550 wherein in step 510 a remote player inserts the player tracking card 312 into the card reader 310 (see Fig. 2); the player identity information is transmitted by the slot machine to the slot server 4, which authenticates the information and creates a secure session with the player; furthermore, in step 550, the remote player is prompted to enter the player parameter selections; column 8, lines 10-33 disclose that the player parameter selections include both play options and limiting criteria of play, wherein the limiting criteria include: (slot machine) lock start time, lock end time, etc., the lock start time corresponding to a lock session signal for locking a secure communications session upon an occurrence of a predetermined event (lock start time), the lock session signal configured to restrict access to the communications session until the computing device receives an unlock session signal from the remotely located computing device; column 9, lines 1-6 disclose the same details, further disclosing that the locking data is a signal that prevents the slot machine 2 from providing access to other players unless automated play is terminated by the player who initiated it); prompting a user at the computing device for identification information associated with

prompting a user at the computing device for identification information associated with the communications session (Fig. 9, steps 710-720 that show requiring the player to return to the slot machine 2 and provide identification information associated with the

secure communications session; column 12, lines 14-17 describe the same details); transmitting, from the computing device to the remotely located computing device, the identification information (Fig. 9, step 730 and column 12, lines 17-20 disclose the same details); and

receiving, at the computing device from the remotely located computing device, the unlock session signal if the identification information is authenticated (Fig. 9, steps 740 and 760-770; column 12, lines 21-39 describe the same details).

However, Walker et al. do not specifically disclose that the predetermined event comprises a detection of a departure of the user without manual input from the user.

In the same field of endeavor, Shaffer et al. disclose the claimed method, wherein the predetermined event comprises a detection of a departure of the user without manual input from the user (Fig. 2; column 5, lines 13-32 which describe a security module 58 connected between the user input device and the screen saver 56, that includes a timing mechanism that monitors manipulation of the user input devices 44 to detect periods of inactivity; further disclosing that the screen saver capability is configurable with respect to selecting a particular time period, such that the screen saver 56 switches the computing device 12 to a locked mode when the computing device is idle for a period exceeding the pre-selected period; i.e. if there is no activity by any user input devices for a configurable period, the screen saver triggers a locked mode).

Therefore, it would have been obvious to a person of ordinary skill in the art at the time the invention was made to provide a method to detect the departure of a user

Art Unit: 2443

as a predetermined event without any manual input from the user, as taught by Shaffer et al., in the method of Walker et al., so as to provide a secure remote session for users.

Claims 67, 68, 72-74, 77-79 and 81 are rejected under 35 U.S.C. 103(a) as being unpatentable over Walker et al. (U.S. Patent Publication # 6,244,957 B1) in view of Shaffer et al. (U.S. Patent Publication # 6,145,083) and further in view of Shoemaker et al. (U.S. Patent Application Publication # 2005/0080915 A1).

Consider claim 67, and as it applies to claim 66 above, Walker et al., as modified by Shaffer et al., show and disclose the claimed computing device, except wherein the computing device is configured to facilitate communication of the secure communications session using a first communication channel and is configured to facilitate communication of the lock session signal, the unlock session signal, and the identification information using a second communication channel.

In the same field of endeavor, Shoemaker et al. disclose the claimed computing device, wherein the computing device is configured to facilitate communication of the secure communications session using a first communication channel and is configured to facilitate communication of the lock session signal, the unlock session signal, and the identification information using a second communication channel (Fig. 1B that shows different channels being used for user interface (UI channel 210) and media (channel 208) transmission; paragraph 0087 discloses the same details).

Therefore, it would have been obvious to a person of ordinary skill in the art at the time the invention was made to configure the computing device to facilitate communication of the secure communications session using a first communication channel and to facilitate communication of the lock session signal, the unlock session signal, and the identification information using a second communication channel, as taught by Shoemaker et al., in the computing device of Walker et al., as modified by Shaffer et al., so that separate virtual channels may be provided for carrying serial device communication and presentation data from the server, as well as encrypted client mouse and keyboard data.

Consider claim 68, and as it applies to claim 67 above, Walker et al., as modified by Shaffer et al. and Shoemaker et al., further show and disclose the claimed computing device, wherein the second communication channel is a Citrix® Independent Computing Architecture TM (ICA) Virtual Channel (in Shoemaker et al. reference, paragraph 0086 which discloses that the second communication channel can be a Citrix® Independent Computing Architecture TM (ICA) Virtual Channel).

Consider claim 72, and as it applies to claim 66 above, Walker et al., as modified by Shoemaker et al., further show and disclose the claimed computing device, wherein the computing device is a personal computer (in Shoemaker et al. reference, paragraphs 0054 and 0085 which disclose that the computing device can be a personal computer).

Art Unit: 2443

Consider claim 73, and as it applies to claim 66 above, Walker et al., as modified by Shaffer et al. and Shoemaker et al., further show and disclose the claimed computing device, wherein the computing device is an automated teller machine (ATM) (in Shoemaker et al. reference, paragraph 0054 which discloses that the computing device can be an Automated Teller Machine).

Consider claim 74, and as it applies to claim 66 above, Walker et al., as modified by Shaffer et al. and Shoemaker et al., further show and disclose the claimed computing device, wherein the computing device is an industrial controller (in Shoemaker et al. reference, paragraph 0054 which discloses that the computing device can be an environment control element (industrial controller)).

Consider claim 77, and as it applies to claim 66 above, Walker et al., as modified by Shaffer et al. and Shoemaker et al., further show and disclose the claimed computing device, wherein the computing device is a thin client (in Shoemaker et al. reference, paragraphs 0003, 0082, 0084 and 0085 which disclose that the computing device can be a thin client).

Consider **claim 78**, and **as it applies to claim 66 above**, Walker et al., as modified by Shaffer et al. and Shoemaker et al., further show and disclose the claimed computing device, wherein the computing device is a personal digital assistant (PDA)

(in Shoemaker et al. reference, paragraph 0019 which disclose that the computing device can be a personal digital assistant (PDA)).

Consider claim 79, and as it applies to claim 66 above, Walker et al., as modified by Shaffer et al. and Shoemaker et al., further show and disclose the claimed computing device, wherein the computing device is a cellular telephone (in Shoemaker et al. reference, paragraph 0019 which disclose that the computing device can be a cellular telephone.

Consider claim 81, and as it applies to claim 66 above, Walker et al., as modified by Shaffer et al. and Shoemaker et al., further show and disclose the claimed computing device, wherein the computing device is configured to allow a session management operation to be triggered locally using an application at the computing device, but executed at the remotely located computing device (in Shoemaker et al. reference, paragraph 0088 which disclose that a virtual channel application has two parts, a client-side component and a server-side component; further disclosing that the server-side component is an executable program running on the terminal server, and the client-side component is a DLL loaded into memory on the client computer when the terminal services client program runs).

Claims 71 and 76 are rejected under 35 U.S.C. 103(a) as being unpatentable over Walker et al. (U.S. Patent Publication # 6,244,957 B1) in view of Shaffer et al.

Art Unit: 2443

(U.S. Patent Publication # 6,145,083) and further in view of Hughes (U.S. Patent Publication # 6,854,009 B1).

Consider claim 71, and as it applies to claim 66 above, Walker et al., as modified by Shaffer et al., show and disclose the claimed computing device, except wherein the predetermined event is an activation of a screen saver.

In the same field of endeavor, Hughes discloses the claimed computing device, wherein the predetermined event is an activation of a screen saver (column 27, lines 37-53 disclose the same details).

Therefore, it would have been obvious to a person of ordinary skill in the art at the time the invention was made to activate a screen saver at the predetermined event, as taught by Hughes, in the computing device of Walker et al., as modified by Shaffer et al., so as to maintain the security during the period, the user of the computing device is away from the remote session.

Consider claim 76, and as it applies to claim 66 above, Walker et al., as modified by Shaffer et al. and Hughes, further show and disclose the claimed computing device, wherein the computing device is an internet protocol (IP) telephone (in Hughes reference, Fig. 5, column 6, lines 55-62 and column 11, lines 30-39 that disclose the details of the claimed IP telephone).

Claim 75 is rejected under 35 U.S.C. 103(a) as being unpatentable over Walker et al. (U.S. Patent Publication # 6,244,957 B1) in view of Shaffer et al. (U.S. Patent Publication # 6,145,083) and further in view of Hsu et al. (U.S. Patent Publication # 6,876,644 B1).

Consider claim 75, and as it applies to claim 66 above, Walker et al., as modified by Shaffer et al., show and disclose the claimed computing device, except wherein the computing device is a gateway.

In the same field of endeavor, Hsu et al. disclose the claimed computing device, wherein the computing device is a gateway (column 6, line 56 through column 7, line 9 which disclose that the proxy gateway server 20 selectively controls access by the digital telephone 16 to additional servers via a packet switched network and based on the validation of security information supplied by the digital telephone).

Therefore, it would have been obvious to a person of ordinary skill in the art at the time the invention was made to use a gateway as a computing device, as taught by Hsu et al., in the computing device of Walker et al., as modified by Shaffer et al., so as to provide a secure remote session.

Claims 83 and 86 are rejected under 35 U.S.C. 103(a) as being unpatentable over Walker et al. (U.S. Patent Publication # 6,244,957 B1) in view of Shaffer et al. (U.S. Patent Publication # 6,145,083) and further in view of Wright et al. (U.S. Patent Publication # 7,089,508 B1).

Art Unit: 2443

Consider claim 83, and as it applies to claim 66 above, Walker et al., as modified by Shaffer et al., further disclose the claimed computing device, wherein the computing device is configured to facilitate a session lock at the remotely located computing device (in Walker et al. reference, Fig. 8A, steps 510-550 wherein in step 510 a remote player inserts the player tracking card 312 into the card reader 310 (see Fig. 2); the player identity information is transmitted by the slot machine to the slot server 4, which authenticates the information and creates a secure session with the player; furthermore, in step 550, the remote player is prompted to enter the player parameter selections; column 8, lines 10-33 disclose that the player parameter selections include both play options and limiting criteria of play, wherein the limiting criteria include: (slot machine) lock start time, lock end time, etc., the lock start time corresponding to a lock session signal for locking a secure communications session upon an occurrence of a predetermined event (lock start time), the lock session signal configured to restrict access to the communications session until the computing device receives an unlock session signal from the remotely located computing device; column 9, lines 1-6 disclose the same details, further disclosing that the locking data is a signal that prevents the slot machine 2 from providing access to other players unless automated play is terminated by the player who initiated it).

However, Walker et al., as modified by Shaffer et al., do not specifically disclose that the computing device is configured to facilitate a local lock at the computing device.

In the same field of endeavor, Wright disclose the claimed computing device, wherein the computing device is configured to facilitate a local lock at the computing device (abstract that discloses a method for preventing the activation of a screen saver for locking user access to a computer while a user is near the computer; column 1, lines 12-38 disclose an office personal computer, for use by a plurality of users, that uses the screen saver lock access to the computer after a specified period of keyboard or mouse inactivity; further disclosing that authorized users may gain access to the locked local computer by entering their userid and the common password).

Therefore, it would have been obvious to a person of ordinary skill in the art at the time the invention was made to configure the computing device to facilitate a local lock at the computing device, as taught by Wright, in the computing device of Walker et al., as modified by Shaffer et al., so as to provide a secure computing environment for a local shared computing device.

Consider claim 86, and as it applies to claim 66 above, Walker et al., as modified by Shaffer et al. and Wright et al., further disclose the claimed computing device, wherein the detection of the departure of the user without manual input from the user is performed using at least one of the following without manual input by the user indicating the departure: a motion detector, a presence or an absence of a dedicated short range communication identification device, or an altered biometric data of the user (in Shaffer et al. reference, column 1, lines 42-46 which disclose using biometric technique such as voiceprint authentication to recognize an authorized user; and

in Wright et al. reference, column 1, lines 56-58 which describe a controller that includes a motion sensor, such as a motion detector, for detecting o user's activity (and presence) within a predetermined perimeter of the computer whose screen may be locked; also see Figs. 11, 18 and column 5, lines 26-49 in the cited but not used reference (US Patent Publication 7,069,444 B2 to Lowensohn et al.) that uses biometric data for detecting user's presence).

Claim 87 is rejected under 35 U.S.C. 103(a) as being unpatentable over Walker et al. (U.S. Patent Publication # 6,244,957 B1) in view of Shaffer et al. (U.S. Patent Publication # 6,145,083) and further in view of Hendriks et al. (U.S. Patent Publication # 7,219,233 B1).

Consider claim 87, and as it applies to claim 66 above, Walker et al., as modified by Shaffer et al., disclose the claimed computing device, except wherein the detection of the departure of the user without manual input from the user is performed by software configured to use artificial intelligence to examine input or writing style of another user.

In the same field of endeavor, Hendriks et al. show and disclose the claimed computing device, wherein the detection of the departure of the user without manual input from the user is performed by software configured to use artificial intelligence to examine input or writing style of another user (Fig. 6; column 9, lines 27-30 that teach

using artificial intelligence in identifying a user by analyzing the physical dynamics of the user's handwriting as is done in signature verification and/or handwriting analysis).

Therefore, it would have been obvious to a person of ordinary skill in the art at the time the invention was made to use software configured to use artificial intelligence to examine input or writing style of a user, as taught by Hendriks et al., in the computing device of Walker et al., as modified by Shaffer et al., so as to provide a secure computing environment for an unattended computing device.

# Response to Arguments

Applicants' arguments filed 01/12/2010 have been fully considered but they are not persuasive. After carefully reviewing the applicants' arguments and the examiner's cited prior art used to reject the presented claims, the examiner has concluded that the cited references provide adequate disclosure to maintain claim rejections. The examiner's response to applicants' arguments is listed below:

Consider independent claims 66, 84, and 85. On page 8 of the "Remarks", the applicants' argue that none of the cited prior art discloses the claimed element "transmitting a lock session signal for locking a communication session upon an occurrence of a predetermined event, wherein the predetermined event comprises a detection of a departure of the user without manual input from the user". As explained in the section "Claim Rejections - 35 USC § 112" of this office action, the examiner does not agree with the applicants' argument that the 112 second paragraph rejection be withdrawn, because the claim, as presented, will not be able to distinguish which

Art Unit: 2443

user provided the input or writing style. The same argument applies to claims 66, 84, and 85 as well.

On page 9 of the "Remarks" section, applicants allege that "the manual input required by Walker's slot machine to start a locked automated play session teaches away from starting a locked automated play session without manual input from the player". The examiner respectfully disagrees with this conclusion. The first player in Walker's slot machine does not provide any input at the time the locked automated play session is to start. The first player's input is provided much earlier during a logon session used to set up the authentication and the automated game parameters for a game that is scheduled to start later at the time specified by the first player. At the scheduled start time for the automated game play, the session is locked by the system without any input from the first user, thus preventing any other user from interrupting the game. Such first user's input during a logon session is not unlike the applicants' own claim element requiring a user to provide identification information associated with the communication session. Therefore, Walker et al. do not teach away from the applicants' claims.

On page 10 of the "Remarks", the applicants argue that combining the teachings of the cited Shaffer et al. reference with those of Walker et al. would render Walker's slot machine unsatisfactory for its intended purpose. The examiner disagrees with this conclusion. Consider the situation where the first user is physically present to play the game instead of using automated game play. If the player steps out for a short interval without locking the game session on the slot machine, Shaffer's teachings could be

used to automatically detect the departure of the first player, and lock the game session.

Thus the arguments presented on pages 10-11 against combining Walker and Shaffer references are without merit.

Next, consider **claim 77**. On pages 11-12, the applicants argue that combining Walker's game machine with Shoemaker's thin client would render the slot machine unsatisfactory, because if the connection between a thin client and its supporting server fails, the players won't be able to enter game parameters and consequently won't be able to play the game. The examiner again begs to disagree. Cell phones are thin clients and they rely on servers to maintain their connections. Sometimes connections do fail, but that does not prevent people from using cell phones. The reliability of current electronic products is vastly improved, and there are many games that can be played on thin client devices. Therefore, the applicants' argument does not carry much weight.

There are no other arguments presented for any of the dependent claims.

Therefore the examiner has maintained the rejection of all presented claims, since they are obvious over the cited art, and therefore non-novel and not allowable in their present form.

## Conclusion

THIS ACTION IS MADE FINAL. Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE

MONTHS from the mailing date of this action. In the event a first reply is filed within

TWO MONTHS of the mailing date of this final action and the advisory action is not

mailed until after the end of the THREE-MONTH shortened statutory period, then the

shortened statutory period will expire on the date the advisory action is mailed, and any

extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of

the advisory action. In no event, however, will the statutory period for reply expire later

than SIX MONTHS from the mailing date of this final action.

Any response to this Office Action should be faxed to (571) 273-8300 or mailed

to:

Commissioner for Patents

P.O. Box 1450

Alexandria, VA 22313-1450

Art Unit: 2443

Hand-delivered responses should be brought to

**Customer Service Window** 

Randolph Building

401 Dulany Street

Alexandria, VA 22314

Any inquiry concerning this communication or earlier communications from the

Examiner should be directed to Kishin G. Belani whose telephone number is (571) 270-

1768. The Examiner can normally be reached on Monday-Friday from 6:00 am to 5:00

pm.

Art Unit: 2443

If attempts to reach the Examiner by telephone are unsuccessful, the Examiner's supervisor, Tonia Dollinger can be reached on (571) 272-4170. The fax phone number for the organization where this application or proceeding is assigned is (571) 273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free) or 703-305-3028.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist/customer service whose telephone number is (571) 272-2600.

/K. G. B./ Examiner, Art Unit 2443

April 8, 2010

/George C Neurauter, Jr./

Primary Examiner, Art Unit 2443